



# 2025 SCOOTERS



Find your  
Freedom



 HONDA

## Contents

Forza 750 [new](#)

Forza 350 [new](#)

Forza 125 [new](#)

X-ADV [new](#)

X-ADV Special Edition [new](#)

ADV350 [new](#)

SH350i [new](#)

SH125i

SH Mode 125

PCX [new](#)

Vision

Super Cub

CUV e: [new](#)

EM1 e:

Specifications

Experience Days

## FORZA 750

- Powerful 745 cc 8-valve parallel twin-cylinder engine
- Updated Dual Clutch Transmission (DCT)
- Cruise control as standard
- Upgraded 5-inch TFT display
- Smart Key convenience
- Sustainable Durabio™ material
- Bright light visibility
- More protective electric screen
- Enhanced seat comfort



Peak performer

### Engine

Engine Type	Liquid-cooled, 4-stroke, 8-valve, SOHC, parallel 2-cylinder
Engine Displacement	745 cc
Max. Power Output	43.1 kW @ 6,750 rpm (35 kW @ 6,000 rpm)
Max. Torque	69 Nm @ 4,750 rpm (65 Nm @ 4,000 rpm)
Fuel Consumption	17.3 mi/L
CO <sub>2</sub> Emissions	85 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	2,200 x 790 x 1,480
Seat Height (mm)	790
Wheelbase (mm)	1,580
Kerb Weight (kg)	236

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	310 mm double hydraulic disc with radial 4-piston caliper / 240 mm single disc with single-piston caliper
Tyres (Front/Rear)	120/70-R17 M/C (58H) / 160/60-R15 M/C (67H)
Suspension Front	41 mm SFF-CA USD, 153.5 mm stroke
Suspension Rear	Monoshock damper, Pro-Link® swingarm, 150 mm travel

## FORZA 350

- Tech-packed 5-inch TFT display
- Forza LED lighting
- Power and torque to rely on
- Smart key convenience
- Electric screen
- Own the fast lane



The power to go further

### Engine

Engine Type	Liquid-cooled, 4-stroke, 4 valve, SOHC single cylinder, eSP+
Engine Displacement	330 cc
Max. Power Output	21.5 kW @ 7,500 rpm
Max. Torque	31.5 Nm @ 5,250 rpm
Fuel Consumption	18.3 mi/L
CO <sub>2</sub> Emissions	79 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	2,145 x 754 x 1,360
Seat Height (mm)	780
Wheelbase (mm)	1,510
Kerb Weight (kg)	186

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	256 mm single disc with 2-piston Nissin™ caliper / 240 mm single disc with 1-piston Nissin™ caliper
Tyres (Front/Rear)	120/70-15 MC (56P) / 140/70-14 MC (68P)
Suspension Front	33 mm Telescopic fork, 100 mm travel
Suspension Rear	Twin shock, 115 mm travel

**FORZA 125**

- Electric screen
- 5-inch TFT meter
- All round engine performance
- Unique Forza design
- Smart Key convenience
- Honda Selectable Torque Control (HSTC)



**Make no compromises**

**Engine**

Engine Type	Liquid-cooled, 4-stroke, 4 valve, SOHC single cylinder, eSP+
Engine Displacement	125 cc
Max. Power Output	10.7 kW @ 8,750 rpm
Max. Torque	12.3 Nm @ 6,500 rpm
Fuel Consumption	25.9 mi/L
CO <sub>2</sub> Emissions	54 g/km

**Chassis, Dimensions and Weight**


Length x Width x Height (mm)	2,145 x 754 x 1,350
Seat Height (mm)	780
Wheelbase (mm)	1,510
Kerb Weight (mm)	164

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	256 mm single disc with 2-piston Nissin™ caliper / 240 mm single disc with single-piston Nissin™ caliper
Tyres (Front/Rear)	120/70-15 MC (56P) / 140/70-14 MC (68P)
Suspension Front	33 mm Telescopic fork, 89 mm travel
Suspension Rear	Twin shock, 101 mm travel



- More sustainable material
- Powerful 745 cc 8-valve parallel twin-cylinder engine
- Updated Dual Clutch Transmission (DCT)
- Cruise control standard
- New 5-inch TFT display
- Smart key convenience



Take a ride on the wild side

**Engine**

Engine Type	Liquid-cooled, 4-stroke, 8-valve, SOHC, parallel twin
Engine Displacement	745 cc
Max. Power Output	43.1 kW @ 6,750 rpm / 35 kW @ 6,000 rpm (A2)
Max. Torque	69 Nm @ 4,750 rpm
Fuel Consumption	17.3 mi/L
CO <sub>2</sub> Emissions	85 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	2,215 x 940 x 1,370
Seat Height (mm)	820
Wheelbase (mm)	1,590
Kerb Weight (kg)	237

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	296 mm floating double disc with radial-mounted four-piston brake caliper / 240 mm single disc with single-piston caliper
Tyres (Front/Rear)	120/70 R17 M/C (58H) / 160/60 R15 M/C (67H)
Suspension Front	41 mm SFF-CA USD, 153.5 mm stroke
Suspension Rear	Monoshock damper, Pro-Link® swingarm, 150 mm travel



- More sustainable material
- Powerful 745 cc 8-valve parallel twin-cylinder engine
- Updated Dual Clutch Transmission (DCT)
- Cruise control standard
- New 5-inch TFT display
- Smart key convenience



### Engine

Engine Type	Liquid-cooled, 4-stroke, 8-valve, SOHC, parallel twin
Engine Displacement	745 cc
Max. Power Output	43.1 kW @ 6,750 rpm / 35 kW @ 6,000 rpm (A2)
Max. Torque	69 Nm @ 4,750 rpm
Fuel Consumption	17.3 mi/L
CO <sub>2</sub> Emissions	85 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	2,215 x 940 x 1,370
Seat Height (mm)	820
Wheelbase (mm)	1,590
Kerb Weight (kg)	237

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	296 mm floating double disc with radial-mounted four-piston brake caliper / 240 mm single disc with single-piston caliper
Tyres (Front/Rear)	120/70 R17 M/C (58H) / 160/60 R15 M/C (67H)
Suspension Front	41 mm SFF-CA USD, 153.5 mm stroke
Suspension Rear	Monoshock damper, Pro-Link® swingarm, 150 mm travel

# ADV350

- 5-inch TFT meter, Honda RoadSync and Smart Key
- Fully prepared for adventure
- Long travel suspension
- Off-road style wheels
- Sporty engine with HSTC and high fuel efficiency
- Large storage compartment ensures flexible convenience



**Adventure spirit, urban style**

### Engine

Engine Type	Liquid-cooled, 4-stroke, 4 valve, SOHC, single cylinder, eSP+
Engine Displacement	330 cc
Max. Power Output	21.5 kW @ 7,500 rpm
Max. Torque	31.5 Nm @ 5,250 rpm
Fuel Consumption	18.3 mi/L
CO <sub>2</sub> Emissions	79 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	2,200 x 895 x 1,295
Seat Height (mm)	795
Wheelbase (mm)	1,520
Kerb Weight (kg)	186

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	256 mm single disc with 2-piston Nissin™ caliper / 240 mm single disc with 2-piston Nissin™ caliper
Tyres (Front/Rear)	120/70-15 MC (56P) / 140/70-14 MC (62P)
Suspension Front	37 mm Upside down fork, 125 mm travel
Suspension Rear	Twin shock, 130 mm travel





- Updated styling with enhanced LED lighting
- Ample storage space and Smart Key convenience
- More powerful SOHC, 4-valve liquid-cooled engine
- Honda Selectable Torque Control (HSTC)
- 16-inch wheels, high-quality suspension and ABS braking



Timeless style

**Engine**

Engine Type	Liquid-cooled, 4-stroke, 4 valve, SOHC, single cylinder, eSP+
Engine Displacement	330 cc
Max. Power Output	21.5 kW @ 7,500 rpm
Max. Torque	31.5 Nm @ 5,250 rpm
Fuel Consumption	18.3 mi/L
CO <sub>2</sub> Emissions	79 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	2,160 x 742 x 1,160
Seat Height (mm)	805
Wheelbase (mm)	1,450
Kerb Weight (kg)	172

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	256 mm single disc with 2-piston caliper / 256 mm single disc with 1-piston caliper
Tyres (Front/Rear)	110/70 R16 M/C (52S) / 130/70 R16 M/C (61S)
Suspension Front	35 mm Telescopic fork
Suspension Rear	Twin shock



- Efficient four-stroke 4V eSP+ powerplant
- Clear LCD screen
- Confident cornering
- Supple rear suspension
- Stylish full LED lighting
- Plenty of room



A design for life

**Engine**

Engine Type	Liquid-cooled, 4-stroke, SOHC
Engine Displacement	125 cc
Max. Power Output	9.6 kW @ 8,250 rpm
Max. Torque	12 Nm @ 6,500 rpm
Fuel Consumption	28.3 mi/L
CO <sub>2</sub> Emissions	50 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	2,090 x 730 x 1,130
Seat Height (mm)	799
Wheelbase (mm)	1,350
Kerb Weight (kg)	137

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	240 mm disc with 2-piston caliper / 240 mm disc with single-piston caliper
Tyres (Front/Rear)	100/80 R16 / 120/80 R16
Suspension Front	33 mm Telescopic fork
Suspension Rear	Dual-damper unit swingarm



- Smart key operation
- Idling Stop Technology
- Glove box with USB Type-C socket
- LCD dash
- 18.5 L storage area
- 16-inch front and 14-inch rear wheels



Rediscover the city

**Engine**

Engine Type	Liquid cooled, SOHC, 4-stroke, single-cylinder
Engine Displacement	125 cc
Max. Power Output	8.7 kW @ 8,500 rpm
Max. Torque	12.0 Nm @ 5,000rpm
Fuel Consumption	29.6 mi/L
CO <sub>2</sub> Emissions	47 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	1,950 x 670 x 1,110
Seat Height (mm)	765
Wheelbase (mm)	1,305
Kerb Weight (mm)	118 kg

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	220 mm hydraulic disc / 130 mm drum
Tyres (Front/Rear)	80/90 R16 / 100/90 R14
Suspension Front	Telescopic fork
Suspension Rear	Unit Swingarm



- 125cc water-cooled eSP+ SOHC four-valve engine
- Upgraded braking power
- Honda Selectable Torque Control (HSTC)
- Optional new 5-inch TFT display
- Smart key convenience
- Ample storage space and USB type-C socket



The best view of the city

**Engine**

Engine Type	Liquid-cooled, 4-stroke, 4 valve, SOHC single, eSP+
Engine Displacement	125 cc
Max. Power Output	9.2 kW @ 8,750 rpm
Max. Torque	11.7 Nm @ 6,500 rpm
Fuel Consumption	29.6 mi/L
CO <sub>2</sub> Emissions	49 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	1,935 x 740 x 1,125
Seat Height (mm)	763
Wheelbase (mm)	1,315
Kerb Weight (kg)	133

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	220 mm single disc with 2-piston caliper / 220 mm single disc with 1-piston caliper
Tyres (Front/Rear)	110/70-14 M/C (50P) / 130/70-13 M/C (63P)
Suspension Front	31 mm Telescopic fork, 89 mm travel
Suspension Rear	Twin shock, 95 mm travel



- Elegant styling update with more storage space
- Efficient air-cooled enhanced Smart Power (eSP) engine
- Lightweight steel frame sports wheels
- Smart Key convenience



Enjoy the city

**Engine**

Engine Type	eSP Air-cooled, 4-stroke, SOHC
Engine Displacement	109 cc
Max. Power Output	6.4 kW @ 7,500 rpm
Max. Torque	9 Nm @ 5,500 rpm
Fuel Consumption	34.5 mi/L
CO <sub>2</sub> Emissions	44 g/km

**Chassis, Dimensions and Weight**

Length x Width x Height (mm)	1,925 x 686 x 1,125
Seat Height (mm)	785
Wheelbase (mm)	1,280
Kerb Weight (kg)	100

**Wheels, Suspension and Brakes**

Brakes (Front/Rear)	220 mm hydraulic disc / 130 mm drum
Tyres (Front/Rear)	80/90 R16 / 90/90 R14
Suspension Front	31 mm Telescopic fork
Suspension Rear	Unit Swingarm

# Super Cub

- Modern convenience
- Timeless style
- Efficient day in, day out reliability
- Strong, dependable chassis



A1

World in motion

## Engine

Engine Type	Air-cooled, SOHC, 4-stroke, 2-valve
Engine Displacement	124 cc
Max. Power Output	7.2 kW @ 7,500 rpm
Max. Torque	10.4 Nm @ 6,250 rpm
Fuel Consumption	41.4 mi/L
CO <sub>2</sub> Emissions	34 g/km

## Chassis, Dimensions and Weight

Length x Width x Height (mm)	1,915 x 720 x 1,000
Seat Height (mm)	780
Wheelbase (mm)	1,245
Kerb Weight (kg)	110

## Wheels, Suspension and Brakes

Brakes (Front/Rear)	Single 220 mm disc / Single 110 mm drum Single Channel ABS
Tyres (Front/Rear)	70/90 R17 M/C (38P) / 80/90 R17 M/C (50P)
Suspension Front	Telescopic fork
Suspension Rear	Twin Shock

# CUV e:

- New e-drive unit with side motor
- Large 7-inch TFT screen
- Three riding modes
- Premium LED lighting
- Easy reverse assist



A1

Smart ride, future ready



- Electric motor
- Riding modes
- Digital instrument display
- USB type-A socket
- Rear carrier
- LED lighting
- Tight turns
- Storage compartment



The choice of electric

### EV Motor and Battery

Motor Type	In-wheel 3-phase electric motor, brushless
Max. Power	1.7 kW
Max. Torque	90 Nm
Energy Consumption (WMTC Class 1)	47 Wh/km
Battery Type	Lithium-ion (Removable)
Battery Range (on full charge)	41 km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	1,860 x 680 x 1,080
Seat Height (mm)	740
Wheelbase (mm)	1,300
Vehicle Weight with Battery (kg)	95

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	1 channel CBS disc / 1 channel CBS drum
Tyres (Front/Rear)	90/90-12 (44J) / 100/90-10 (56J)
Suspension Front	Telescopic fork
Suspension Rear	Twin shock



## FORZA 750

## FORZA 350

## FORZA 125

## X-ADV

## ADV 350

### Engine

Engine Type	Liquid-cooled, 4-stroke, 8-valve, SOHC, parallel 2-cylinder	Liquid-cooled, 4-stroke, 4 valve, SOHC, single, eSP+	Liquid-cooled, 4-stroke, 4 valve, SOHC, single, eSP+	Liquid-cooled, 4-stroke, 8-valve, SOHC, parallel 2-cylinder	Liquid-cooled 4-stroke, 4 valve SOHC single, eSP+
Engine Displacement	745 cc	330 cc	125 cc	745 cc	330 cc
Max. Power Output	43.1 kW @ 6,750 rpm (35 kW @ 6,000 rpm)	21.5 kW @ 7,500 rpm	10.7 kW @ 8,750 rpm	43.1 kW @ 6,750 rpm / 35 kW @ 6,000 rpm (A2)	21.5 kW @ 7,500 rpm
Max. Torque	69 Nm @ 4,750 rpm (65 Nm @ 4,000 rpm)	31.5 Nm @ 5,250 rpm	12.3 Nm @ 6,500 rpm	69 Nm @ 4,750 rpm (65 Nm @ 4,000 rpm)	31.5 Nm @ 5,250 rpm
Fuel Consumption/Emissions	17.3 mi/L / 85 g/km	18.3 mi/L / 79 g/km	25.9 mi/L / 54 g/kg	17.3 mi/L / 85 g/km	18.3 mi/L / 79 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	2,200 x 790 x 1,480	2,145 x 754 x 1,360	2,145 x 754 x 1,350	2,215 x 940 x 1,370	2,200 x 895 x 1,295
Seat Height (mm)	790	780	780	820	795
Wheelbase (mm)	1,580	1,510	1,505	1,590	1,520
Kerb Weight (kg)	236	186	164	236	186

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	310 mm double hydraulic disc with radial 4-piston caliper / 240 mm single disc with single-piston caliper	256 mm single disc with 2-piston Nissin™ caliper. / 240 mm single disc with 1-piston Nissin™ caliper	Single 256 mm disc with 2-piston Nissin™ caliper / Single 240 mm disc with single-piston Nissin™ caliper	296 mm double hydraulic disc with radial 4-piston caliper / 240 mm single hydraulic disc with 1-piston caliper (2 Channel ABS System Type)	256 mm single disc with 2-piston Nissin™ caliper / 240 mm single disc with 2-piston Nissin™ caliper
Tyres (Front/Rear)	120/70-R17 MC (58H) / 160/60-R15 MC (67H)	120/70-15 MC (56P) / 140/70-14 MC (68P)	120/70-15 MC (56P) / 140/70-14 MC (68P)	120/70 R17 / 160/60 R15	120/70-15 MC (56P) / 140/70-14 MC (62P)
Suspension Front	41 mm SFF-CA USD, 153.5 mm stroke	33 mm Telescopic fork, 100 mm travel	33 mm Telescopic fork, 89 mm travel	41 mm Upside Down Fork	37 mm Upside down fork, 125 mm travel
Suspension Rear	Monoshock damper, Pro-Link® swingarm, 150 mm travel	Twin shock, 115 mm travel	Twin shock, 101 mm travel	Monoshock damper, Pro-Link® swingarm	Twin shock, 130 mm travel



Matt Ballistic Black Metallic  
**New**



Iridium Gray Metallic  
**New**



Pearl Nightstar Black  
**New**



Pearl Falcon Gray  
**New**



Matt Cynos Gray Metallic  
**New**



Pearl Falcon Gray  
**New**



Graphite Black  
**New**



Pearl Glare White  
**New**



Pearl Nightstar Black  
**New**



Matt Ruthenium Metallic  
**New**



Matt Warm Ash Metallic  
**New**



Carnelian Red Metallic  
**New**



Matt Pearl Cool White  
**New**



Matt Pearl Pacific Blue  
**New**



Matt Pearl Cool White  
**New**



Matt Deep Mud Gray  
**New**



Matt Goldfinch Yellow  
**New · Special Edition**



Hyper Red  
**New**



Matt Coal Black Metallic  
**New · Special Edition**



Matt Cynos Gray Metallic  
**New · Special Edition**



Matt Cynos Gray Metallic  
**New · Special Edition**

**HONDA MOTORCYCLES  
EUROPE APP**



### SH 350i

### SH MODE 125

### SH 125i

### PCX 125

#### Engine

Engine Type	Liquid-cooled, 4-stroke, SOHC, Single-cylinder, eSP+	Liquid-cooled, 4-stroke, SOHC, Single-cylinder	Liquid-cooled, 4-stroke, SOHC, Single-cylinder	Liquid-cooled, 4-stroke, SOHC, Single-cylinder, eSP+
Engine Displacement	330 cc	125 cc	124.5 cc	125 cc
Max. Power Output	21.5 kW @ 7,500 rpm	8.7 kW @ 8,500 rpm	9.6 kW @ 8,250 rpm	9.2 kW @ 8,750 rpm
Max. Torque	31.5 Nm @ 5,250 rpm	12.0 Nm @ 5,000rpm	12 Nm @ 6,500 rpm	11.7 Nm @ 6,500 rpm
Fuel Consumption/Emissions	18.3 mi/L / 79 g/km	29.6 mi/L / 47 g/km	28.3 mi/L / 50 g/km	29.6 mi/L / 49 g/km

#### Chassis, Dimensions and Weight

Length × Width × Height (mm)	2,160 × 742 × 1,160	1,950 × 670 × 1,110	2,090 × 730 × 1,130	1,935 × 740 × 1,125
Seat Height (mm)	805	765	799	763
Wheelbase (mm)	1,450	1,305	1,350	1,315
Kerb Weight (kg)	172	118	137	133

#### Wheels, Suspension and Brakes

Brakes (Front/Rear)	256 mm single disc with 2-piston caliper / 256 mm single disc with 1-piston caliper	220 mm hydraulic disc / 130 mm drum	240 mm disc with 2-piston caliper / 240 mm disc with single piston caliper	Single 220 mm disc with 2-piston caliper / Single 220 mm disc with 1-piston caliper
Tyres (Front/Rear)	110/70 R16 M/C (52S) / 130/70 R16 M/C (61S)	80/90 R16 / 100/90 R14	100/80 R16 / 120/80 R16	110/70-14M/C (50P) / 130/70-13M/C (63P)
Suspension Front	35 mm Telescopic fork	Telescopic fork	33 mm Telescopic fork	31 mm Telescopic fork, 89 mm travel
Suspension Rear	Twin shock	Unit Swingarm	Dual-damper unit swingarm	Twin shock, 95 mm travel



Pearl Nebbia White  
**New**



Matt Lucent Silver Metallic  
**New**



Matt Galaxy Black Metallic



Matt Techno Silver Metallic



Pearl Nightstar Black



Matt Pearl Cool White



Pearl Snowflake White  
**New**



Matt Dim Gray Metallic  
**New**



Black  
**New**



Matt Jeans Blue Metallic  
**New**



Pearl Jasmine White



Candy Luster Red



Vetro Green R



Matt Coal Black Metallic  
Sport Edition



Matt Galaxy Black Metallic  
**New**



Pearl Dark Ash Blue  
**New**



Matt Rock Gray  
**New · Special Edition**



Matt Pearl Diaspro Red  
**New · Special Edition**

**HONDA MOTORCYCLES  
EUROPE APP**



## VISION 110

## SUPER CUB

### Engine

Engine Type	eSP Air-cooled 4-stroke SOHC	Air-cooled SOHC 4-stroke 2-valve
Engine Displacement	109 cc	124 cc
Max. Power Output	6.4 kW @ 7,500 rpm	7.2 kW @ 7,500 rpm
Max. Torque	9 Nm @ 5500 rpm	10.4 Nm @ 6,250 rpm
Fuel Consumption / Emissions	34.5 mi/L / 44 g/km	141.4 mi/L / 34 g/km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	1,925 x 686 x 1,125	1915 x 720 x 1,000
Seat Height (mm)	785	780
Wheelbase (mm)	1,280	1,245
Kerb Weight (kg)	100	110

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	220 mm hydraulic disc / 130 mm drum	Single 220 mm disc / Single 110 mm drum. Single Channel ABS
Tyres (Front/Rear)	80/90 R16 / 90/90 R14	70/90 R17 M/C (38P) / 80/90 R17 M/C (50P)
Suspension Front	31 mm Telescopic fork	Telescopic fork
Suspension Rear	Unit Swingarm	Twin Shock



Matt Galaxy Black Metallic



Pearl Jasmine White



Matt Axis Grey Metallic



Matt Suit Blue Metallic



Pearl Jupiter Gray

## EM1 e:

### EV Motor and Battery

Motor Type	In-wheel 3-phase electric motor, brushless
Max. Power	1.7 kW
Max. Torque	90 Nm
Energy Consumption (WMTC Class 1)	47 Wh/km
Battery Type	Lithium-ion (Removable)
Battery Range (on full charge)	41 km

### Chassis, Dimensions and Weight

Length x Width x Height (mm)	1,860 x 680 x 1,080
Seat Height (mm)	740
Wheelbase (mm)	1,300
Vehicle Weight with Battery (kg)	95

### Wheels, Suspension and Brakes

Brakes (Front/Rear)	1 channel CBS disc / 1 channel CBS drum
Tyres (Front/Rear)	90/90-12 (44J) / 100/90-10 (56J)
Suspension Front	Telescopic fork
Suspension Rear	Twin shock



Matt Ballistic Black Metallic




Digital Silver Metallic



Pearl Sunbeam White

**HONDA MOTORCYCLES  
EUROPE APP**





## HONDA MOTORCYCLES EUROPE APP


- EXPLORE THE LATEST MOTORCYCLES
- VIDEO GALLERY
- CONFIGURE YOURS
- ALL COLOURS AND ACCESSORIES
- SEE IT IN 3D AND AR

Configure your bike and find out more about the full range and accessories by visiting our website or downloading the Honda Motorcycles Europe app.

Available on the **Google Play** store



Available on the **App Store**



# Adrenaline Test Ride



## The world is your playground

With Honda Experience Days there's nowhere you can't go - roads, dirt tracks, race tracks...

Our range of Riding Centres offer expert tuition from experienced Honda instructors on Adventure, Trials and Off Road bikes as well as the chance to test ride bikes from across the Honda range.



Click the logos to find out more

# The Power of Dreams





The specific details of this brochure do not apply to any particular product supplied or offered for sale. Manufacturers reserve the right to vary specifications, including colours, with or without notice at such times in such manner as deemed appropriate. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult your Dealer for details regarding the specifications of any featured product. This publication shall not constitute – under any circumstances whatsoever – an offer by the Company to any individual. All sales are made by the Distributor or Dealer subject to and with the benefit of the standard Conditions of Sale and Warranty provided by the Distributor or Dealer, copies of which may be obtained upon request. While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised. Please contact your local dealer for information and specifications. Please note that the fuel consumption figures provided are results obtained by Honda under standardised testing conditions prescribed by WMTC. Tests are conducted on a rolling road using a standard version of the vehicle with only one rider and no additional optional equipment. Actual fuel consumption may vary depending on how you ride, how you maintain your vehicle, weather, road conditions, tyre pressure, installation of accessories, cargo, rider and passenger weight, and other factors. You accept that if you do go ahead and make a purchase or enter into any kind of transaction, whether for payment or not, you did so entirely in reliance on your own skill and judgement and not on that of anyone else.

Read the owner's manual thoroughly. Get to know your machine and its capabilities. Concentration assists anticipation. Observe other road users' movements. Brake in plenty of time. Always wear a helmet and quality kit, ride fit and NEVER after drinking alcohol. Good roadcraft and courtesy identify the skilled and stylish rider. Honda endorse the law that all helmet visors must comply with BS 4110. Visors that transmit less than 50% of visible light cannot legally be used on the road.

**Honda Motor Europe – Motorcycles**  
Cain Road, Bracknell, Berkshire, RG12 1HL England  
[honda.co.uk](http://honda.co.uk)



Please don't bin me.  
Pass me on to a  
friend or recycle me.

Honda Motor Europe sources  
paper responsibly from  
manufacturers within the EU.



BLUE SKIES FOR  
OUR CHILDREN